

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0690/S-96, REVISION 4

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X2110 Inner Capsule (Manufactured on or after October 29, 1981).
- 2. Source Description Cylindrical single encapsulation made of stainless steel and tungsten inert gas or laser seal welded. Approximate exterior dimensions are 25.1 mm (0.99 in.) in diameter and 49.5 mm (1.95 in.) in length. Minimum wall thickness is 1.2 mm (0.05 in.). Construction shall be in accordance with attached QSA Global, Inc. Drawing No. RBA61984-1, Rev. B.
- 3. <u>Radioactive Contents</u> No more than 555.0 GBq (15.0 Ci) of Americium-241. The Am-241 is in the form of an oxide and is mixed with a beryllium powder that is then pressed into a solid pellet.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on March 31, 2024. Previous editions which have not reached their expiration date may continue to be used.

¹ "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0690/S-96, REVISION 4

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the March 1, 2019 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

March 04, 2019 (DATE)

Associate Administrator for Hazardous Materials Safety

Revision 4 - Issued to extend the expiration date.

off		REV D
No I I I A/R I	TIVE AG	
STAIN.STL.	DESCRIPTIVE DRAWING	MBL of 1
STAI STAI	DES O	ASSEMBLY 84-1 SHEET 1 OF 1
ption DY MATERIA	803	186
CELL BODY STAIN: CELL LID STAIN: ACTIVE MATERIAL - AmBe	OBAL	O CELL RBA61 NONE
<u>0</u> 2	QSA GLOBAL	X2110 G. NO. R SCALE: NO
Ites 1 1 2 3 B	QSA GLOBAL.	X211 DWG. NO.
	4	SIZE
25.1MAX	Gravon SNov of	RANCES:
		TERES TALERANCES INTERNAL UZ EXTERNAL UĞ
ASSEM!	APP	10 MILLIME 10.5 10.1 10.05 10.05 10.05
49.5MA	3	DIMENSIONS IN MILLIMETERES UNLESS OTHERWISE STATED TOLERANCES: X.X. ±0.5 X.X. ±0.15 X.X. ±0.05 ANGULAR ±5' EXTERNAL \$\frac{\pi}{\pi}\$
XZ110 C		
		1783
IG VELD		
LASER OR TIG VELD		ERF #
LAS		





Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0690/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 30 North Avenue Burlington, MA, 01803 USA